
PROJECT TIMELINE U.S. Highway 385 Construction

2023

Community and Stakeholder Outreach

2024 County Line to Pactola Dam





Phase 1 Construction Pennington-Lawrence

2025

Phase 1 Surfacing Phase 2 Construction

Pactola Dam to Calumet Road near Sheridan Lake

2026

Phase 2 Construction Pactola Dam to Calumet Road near Sheridan Lake

2027 Phase 2 Surfacing



4 Spring 202

SZO UN D TO EXPECT WHAT



Pilot car lines and wait times



Loose gravel road surface



Rock blasting



Narrowed driving lanes



Large construction equipment

Temporary road closures



*Road open Friday at noon - Monday at 6 a.m. for boat ramp access

Memorial Day Access:

OPEN CLO Monday, May 27 Tuesda

CLOSED 7 Tuesday, May 28 at 6 a.m.



+++++++

2025

CONSTRUCTION: URING EXPEC 0



Pilot car lines and wait times



Loose gravel road surface





Rock blasting



Narrowed driving lanes



Temporary road closures







PHASE 2 CLOSURES AND DETOURS **Bus and School Detours**

Closure C

Closed from April 28 - June 13, 2025 Sheridan Lake Road to Be Still Road

Local access to Be Still Road will be maintained.






Closed from August 12 - October 17, 2025 Be Still Road to Calumet Road Local access to Be Still Road will be maintained.




Closure D




PHASE 1 AND PHASE 2 DETOUR S.D. HIGHWAY 44 AND U.S. HIGHWAY 16





CLOSURE E DETOUR (ALTERNATIVE) CUSTER GULCH ROAD







PROJECT BACKGROUND U.S. Highway 385 Construction


WHAT IS THE U.S. HIGHWAY 385 CONSTRUCTION PROJECT?

The South Dakota Department of Transportation (SDDOT) is reconstructing a portion of U.S. Highway 385 between the Pennington-Lawrence county line and the south end of Sheridan Lake (Calumet Road). Once completed, this section of U.S. Highway 385 will feature safety improvements, including wider shoulders on each side of the road where possible, improved road curves to meet current design standards, additional turning lanes to improve traffic flow, and new surfacing.


WHY DO THE IMPROVEMENTS NEED TO BE MADE?


This project is being completed with funding from Federal Highway Administration (FHWA), and the use of federal funds requires that certain standards be met. U.S. 385 does not meet current design standards and requires redesign alongside general maintenance due to the age of the infrastructure.

- SITE DISTANCE FOR HILLS AND CURVES: Portions of the roadway do not meet current design standards for curvature and will be redesigned to meet current design criteria.
- **ROADWAY SHOULDERS:** Current design standards dictate an eight-foot shoulder, and the current highway only has two- to three-foot shoulders.
- **CLEAR ZONE:** The current roadway has a limited clear zone of two to 16 feet, and current design standards require a minimum 30-foot clear zone.
- **CULVERTS AND DRAINAGE PIPES:** Multiple box culverts nearing the end of their useful life and drainage pipes in poor condition will be replaced.
- ACCESS TO ADJACENT PROPERTIES: Driveways and access to adjacent properties will be improved, and turn lanes will be installed at key intersections to improve the flow of traffic.




TYPICAL SECTION AND CONSTRUCTABILITY U.S. Highway 385 Construction







| | | | 4620 | |
|---|------------------|------|-------------------|---|
| | 4808-15 70.07 | | | |
| , | | | 4800 | |
| | | | | |
| | 1 | | 4780 | |
| | | | 4770 | |
| | | | | |
| | | | 4750 | |
| | | | 155+00 4740 20 | 0 |



.

.



Sanctuary: Recorded Presentation **Foyer:** Displays and Project Team







https://www.us-385.com

Facebook: South Dakota Department of Transportation **Twitter:** @SouthDakotaDOT

FOR UPDATES ON MAJOR TRAFFIC CHANGES, SUBSCRIBE TO A FREE TEXT-IN SERVICE. Text "US385" to 605-566-4041

